REMINGTON

SAVE

# **EXTEND** your HOLIDAY SEASON with Gear that Performs!

#### 1.5HP 21L Oil-Less Silent Compressor

#RAS221

- 1.5 HP Induction Electric Motor, 21L Tank Capacity
- Oil-less Twin Pump Design
- Super Silent 120L/min FAD @90psi
- Best displacement 6.7cfm
- · Quick connect coupler with pressure regulator
- · Perfect for inflation, air brushing and hobby work



#### # WT141ARC

- 10-140A MMA output
- · Automatic arc force, hot start and
- anti-stick control

- electrode holders & 1.5m Earth lead



#### **Inline Tyre Inflator** # RA1433

- Perfect for inflating car & bike tires
  Pressure testing & over-pressure releasing
- Complete with 1/4" ARO style male fitting





## See Inside For More Great Deals 🔶

# CLEANING

SAVE **\$100** 

## www.powershot.co.nz

## 2900psi 8.8L/min 7HP **Petrol Waterblaster**

#### # P.13000RS

- Adjustable pressure for different applications · 4 quick connect nozzles for a variety of jobs
- 10m steel braided high pressure hose · Venturi detergent system.
- Was \$795.00gst gst (\$799.25 Incl. gst)

**DOWED** 

#### **5m Telescopic** Lance **# PS18TSW**

- Super lightweight fibreglass
- 2 5m Extension
- 3/8" Quick connect fittings
- · Twin wire Industrial braid hose



## AIR EQUIPMEN

SAVE

5100

CAST DON

## **3HP 50L V-Twin Compressor**

#### # RA3000-50

#### • 3HP Induction Motor

- Super Duty Cast Iron V Twin Pump
  115psi (Max) Pressure
  12.7 CFM (360L/m) Max. Capacity
  Twin gauge with Air Regulator
  Twin 1/4' Aro Coupler

- · Designed to tackle large tasks such as tyre inflation, pain spraying, air nailing, stapling and operating an air wrench.



## Air Hose 3/8" x 10m / 20m

• Up to 300psi working pressure

# AC10HS 10M

Was \$46.00 gst

(\$33.35 Incl. gst)

# AC20HS 20M

Was \$79.00 gst

(\$56.35 Incl. gst)

ġst

Bend restriction for reducing wear and tear

gst

- Holds no memory kink resistant under pressure
- Extreme all-weather flexibility even at sub-zero temperatures

SAVE

38%

## www.remingtonair.co.nz www.aircommand.co.nz

## 2.75HP 50L V-Twin Compressor

- Powerful 2.75HP TEFC Motor
  Cast iron V-twin pump, low revving,
- industrial • 115psi Max pressure
- · Cold start release valve lowers start-up power requirement

- 9.5CFM (343L/min) Max capacity
  9.5CFM (269L/min) FAD
  Twin outlets with pressure regulator, includes 2x ARO 14" QR couplers



Dh

SAVE

50%



RC



SAVE

12

SAVE

**S70** 

## **Gravity Feed Spraygun**

SAVE

20%

• 1.4mm nozzle 600ml pot size 8.8cfm air consumption • 30-50psi



00

RA3000-50

### 3/8" Ratchet Wrench



**Air Blow Gun** 

Ideal for cleaning hard to reach places
Complete with 1/4" 'ARO' Style Male Fitting.

• 100mm Nozzle

gst (\$6.90 Incl. gst)









iderFlex





### 3800W/4.8kVA Electric Start Generator

#### # GT3600ES

- 3800W (max), 3200W (Rated) Power Output
- Weight 50kg / 625 x 490 x 510mm
- DB Rating 72, 15L runs 11 hrs @ 50% load
- 2x 230V outlets
- · Electric start (battery inc.) with recoil for easy starting.
- Superior quality copper-wound alternator and automatic voltage regulator (AVR) for more stable power output. • Heavy-duty solid wheel kit with rubber tyres
- for great portability



## 2200W/2.8kVA Conventional Generator



### PDX Series Electric Start Engine Technology

Powerdyne PDX series engines are specially engineered for professional power equipment to ensure optimum performance in the toughest of environments.

- · Electric & remote start with two-wire system
- Precision ball bearing supported crankshaft & chrome piston rings



#### 2200W/2.8kVA Silenced Inverter Generator

# iX2300 Super quiet 48dBA 2000W rated, 2200W max power • 3.5HP, 4 Stroke, 3000RPM • 4.5L Fuel tank • 1 x 230V Power socket Up to 8 hours run time @ 50% load Ideal for camping and home use applications 21kg SAVE Was \$925.00 gst gst perfect-power (\$914.25 Incl. gst)



All prices exclude GST and valid till end of Jan 2025, or while stocks last. Images may differ slightly from what is displayed depending on model.

Whilst every effort is made to ensure that the information and specifications contained in this brochure is accurate at the time of printing, Euroquip accept no responsibility whatsoever either expressed or as otherwise arising out of the information supplied, or under any circumstances be liable in a manner whatsoever for any damages, including but not limited to direct, incidental, secondary, special or punitive damages, losses or expenses or loss of profits relating to the information contained herein or related to any error or omission. Euroquip reserve the right to make changes or modifications to specifications, or discontinue any items at any time, as described in this literature without notice or obligation.